

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	("5042901") or ("5778122") or ("5892870") or ("6385381") or ("6579014") or ("6625375") or ("6648520").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:40
S2	6	(connector\$1 near2 receptacle\$1) with (network adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:25
S4	248748	optic\$2 near2 fiber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:56
S7	915	(connector\$1) with (network adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:02
S9	224	S4 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 16:48
S10	1232	(optic\$2 and network and connect\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 14:03
S12	58	(optic\$2 and network and interface and connect\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 14:14
S13	179	(optic\$2 network connector\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/09 14:22

S14	179	(optic\$2 network connector\$1) and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/09 18:46
S16	8769	optic\$2 same connector\$1 same housing\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:17
S17	115	S16 and (network adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:17
S18	1146	385/135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:00
S19	1015	S18 and (optic\$2 near fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:01
S20	568	S19 and connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 09:43
S21	11	S20 and (network near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:01
S22	771	optic\$2 same connector\$1 same enclosure\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:17

S23	28	S22 and (network adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 06:17
S24	771	optic\$2 same connector\$1 same enclosure\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 09:54
S33	49	connectorized and (pre-connectorized preconnectorized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:55
S36	4	(drop adj cable) and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:46
S37	41	connectorized with (pre-connectorized preconnectorized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:55
S38	1152	385/135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 10:41
S39	1021	S38 and (optic\$2 near fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 09:44
S40	572	S39 and connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 09:44

S41	235	S40 and network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 09:45
S42	16	S41 and (pre-connectorized or preconnectorized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 15:19
S43	119	385/135.ccls. and pigtail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 11:03
S45	7	"6322375"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:10
S46	2	"6721484"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:07
S47	48049	connect\$3 adj port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:07
S48	229363	(network adj interface adj device\$1) or NID\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:08
S49	263	S47 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:56

S50	6	connnect\$3 near2 receptacle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:57
S51	35694	connect\$3 near2 receptacle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:01
S52	229363	(network adj interface adj device\$1) or NID\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:01
S53	105	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:04
S54	1	S51 and S52 and pigtail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:04
S55	2	("6661961").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:47
S56	39591	(optic\$2 near2 fiber\$1) and connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 13:25
S57	8322	pre-connectorized or preconnectorized or pigtail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:17

S59	13	S52 and S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:50
S60	83	(pre-connectorized or preconnectorized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 16:11
S61	51	(pre-connectorized or preconnectorized) and connectorized	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 15:21
S62	93	(pre-connector\$4 or preconnector\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 16:42
S63	0	S60 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 16:12
S64	10	S62 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 16:12
S65	17	S62 and ferrule\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 16:42
S66	908	(optic\$2 near2 fiber\$1) same (connector\$1 with cover\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 13:36

S67	924	(connector\$1) with (network adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 13:30
S69	346	(optic\$2 near2 fiber\$1) same (connector\$1 with (cover\$1 bottom)) same mount\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 14:21
S70	566	(optic\$2 near2 fiber\$1) same (connector\$1 with enclos\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:47
S71	122	(optic\$2 near2 fiber\$1) same (connector\$1 adj port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:47
S73	61	"connector port".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 16:53
S74	1267	385/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:38
S75	1130	S74 and (optic\$2 near fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:38
S76	695	S75 and connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:38

S77	753	385/89.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:38
S78	688	S77 and (optic\$2 near fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:38
S79	433	S78 and connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:38
S80	93	(pre-connector\$4 or preconnector\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:09
S81	3178	(tab\$1 and slot\$1) with (secur\$3 mount\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:19
S82	9	S81 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:10
S83	160	(tab\$1 and slot\$1) with (secur\$3 mount\$3) same connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:21
S84	1217	(tab\$1 near7 slot\$1) with (secur\$3 mount\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:34

S85	1022	(tab\$1 near5 slot\$1) with (secur\$3 mount\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:22
S86	82	(bracket near2 mount\$3) same (connector\$1 near2 receptacle\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:37
S87	229372	(network adj interface adj device\$1) or NID\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 18:37
S88	428	S87 and (bracket near2 mount\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:38
S89	0	S87 and (bracket near2 mount\$3 near5 (inside in within))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 18:38
S90	34	S87 and ((bracket near2 mount\$3) near75 (inside in within))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 18:38
S91	379	(connector\$1 near2 receptacle\$1) with sleeve\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:27
S92	97	S91 and (optic\$2 near2 fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:00

S93	1587	connector\$1 same insert and (optic\$2 near2 fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:01
S94	924	(connector\$1) with (network adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:02
S95	20	S93 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:11
S100	29853	corning.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:37
S101	408	"corning cable systems".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:39
S102	16	"corning cable systems".as. and NID\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:36